



Epson ELP-CB03 Cable Management & Connection Box


Overview

KEY FEATURES & BENEFITS

- Centralised Control Box – manage your Epson short-throw or ultra-short-throw projector (power, AV mute, volume, sources; wall mounted, no remote control needed)
- Optimised for connectivity – supports an array of sources, including 2 HDMI inputs for displaying content from high-definition devices, connect the latest MHL-enabled smartphone or tablet via MHL cable
- Consolidated Cable Management – convenient wall placement helps avoid potential hazards
- Increased Flexibility – use as an extension box to expand the range of your cables
- Easy Operation – large, individual source buttons intuitively match Epson projector inputs, including a new direct source button for HDMI3
- Amplify Instruction – optional speakers boost sound and ensure the entire class can hear the lesson

Centralised Control Box

The Epson ELP-CB03 Connection and Control Box is a solution that offers extensive control of multimedia sources connected to Epson's wall-mounted short-throw and ultra-short-throw classroom projectors.



The ELP-CB03 is a wall-mountable control box which features large, easy to use control buttons and a cable cover that creates a clean, organised look to help avoid cable chaos. The control box is designed to mount on the wall next to the projected image, making it easily accessible to educators and enabling them to change sources or adjust volume with the press of a button, eliminating the need for a projector remote control.

Connectivity Configurations

Top View

Side View



Specification

PRODUCT TYPE	Projector Cable Management		
PRODUCT NAME	Epson ELP-CB03 Cable Management & Connection Box		
PRODUCT CODE	V12H927053		
Whats in the Box	Epson ELPCB03, Power Cable, AC Adapter, AC Adapter holder, Interactive Pen Holder, Cable Cover with screw, HDMI Cable Clamp, User Guide		
I/O			
INPUT	Video		2 x VGA Composite Video 2 x HDMI (1 x MHL) USB-A USB-B
	Audio		4 x Stereo mini jack (3.5mm) RCA Connector (L and R) Mic In (6.3mm)
OUTPUT	Video		2 x VGA Composite Video 2 x HDMI USB-A USB-B
	Audio		2 x Stereo mini jack (3.5mm)
CONTROL			RS-232C (9 pin)
GENERAL			
OPERATING TEMPERATURE			5°C to 35°C
OPERATING HUMIDITY			20% TO 80% RH
DIMENSIONS			230 W x 83 D x 226 H mm (with cover)
WEIGHT			1.2kg
POWER			
POWER SUPPLY VOLTAGE			100 - 240V AC/DC
POWER FREQUENCY			50/60Hz
AC ADAPTOR OUTPUT VOLTAGE			DC 12V
POWER CONSUMPTION			12W
POWER CONSUMPTION (Standby Mode)			0.1W
WARRANTY			STANDARD WARRANTY

* For more information visit [Epson Projector Warranty](#)

Epson is the registered trademark of Seiko Epson Corporation. Epson ESC/P2 and Epson Stylus are trademarks of Seiko Epson Corporation. MicroDot is a trademark of Epson Australia Pty Limited. All other product names and other company names used herein are for identification purposes only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Specifications are subject to change without notice.

Usage Conditions

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.

This printer is designed to function only with genuine Epson ink cartridges and not with third party ink cartridges. The printer may not function properly or at all if you use third party ink cartridges.

Consumables

There are no consumables for this product.

INTEGRATE AV
Audio Visual Design, Integration & Implementation
1800 742 748

INTEGRATE AV
Level 4
384 Eastern Valley Way
Roseville, NSW 2069

t. 1800 742 748

e. info@integrateav.com.au
www.integrateav.com.au